T Mumbar	Hits	Coarch Toyt	DB	Time stamp
L Number	HILS 10		USPAT;	2004/01/04 13:30
1	10	or ("5835700") or ("6266721")).PN.	US-PGPUB;	2004/01/04 15:50
		01 (3033100) 01 (3233121) / 1144	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	44	(("6188973") or ("6237112") or ("6243790")	USPAT;	2004/01/04 13:47
		or ("5835700") or ("6266721") or	US-PGPUB;	
		("6073209") or ("6282610") or ("6260120")	EPO; JPO;	
1		or ("6038689") or ("5987622") or	DERWENT;	
		("5822777") or ("5815649") or ("5513314")	IBM_TDB	
		or ("5109318") or ("5815371") or		
		("5184281") or ("6278609") or ("6282096")		
		or ("6282094") or ("5996089") or ("5832222") or ("6148414")).PN.		
1_	30		USPAT	2004/01/04 13:54
-]	"4974156" "5428555" "5428752"	USERI	2004/01/04 13:54
		"5471600" "5500940" "5555390"		•
		"5581201" "5586250" "5586253"		
		"5606664" "5613074" "5613154"		
ì	Ì	"5628027" "5636342" "5636347"		
1		"5659698" "5659795" "5684671"		
		"5734208" "5790782" "5835700"		
1		"5838891" "5848230" "5850539"		
		"5877938" "5892973" "5956665").PN.		
-	58764	1 '	USPAT;	2004/06/02 14:24
	1	(enclosure or storage or disk or power or	EPO; JPO;	
		sensor or fan or raid)	DERWENT;	
	215	//	IBM_TDB	2004/01/04 14 22
-	215	((rack\$3 or shelf or shelves) with	USPAT;	2004/01/04 14:33
		(enclosure or storage or disk or power or sensor or fan or raid)) and (junction	EPO; JPO; DERWENT;	
		near3 box)	IBM TDB	
_	0	((rack\$3 or shelf or shelves) with	USPAT;	2004/01/04 14:33
	_	(enclosure or storage or disk or power or	EPO; JPO;	2001,01,01 11.33
		sensor or fan or raid)) and ((junction	DERWENT;	
	İ	near3 box) with serial\$3)	IBM TDB	
-	53	(((rack\$3 or shelf or shelves) with	USPAT;	2004/01/04 14:34
		(enclosure or storage or disk or power or	EPO; JPO;	
		sensor or fan or raid)) and (junction	DERWENT;	
		near3 box)) and serial	IBM_TDB	
-	162		USPAT;	2004/01/04 14:34
		(enclosure or storage or disk or power or	EPO; JPO;	
		sensor or fan or raid)) and (junction	DERWENT;	
		near3 box)) and (location or (physical near3 location))	IBM_TDB	
_	47	((((rack\$3 or shelf or shelves) with	USPAT;	2004/01/04 14:34
	"'	(enclosure or storage or disk or power or	EPO; JPO;	2004/01/04 14:34
		sensor or fan or raid)) and (junction	DERWENT;	
		near3 box)) and (location or (physical	IBM TDB	
		near3 location))) and serial		
-	22	((rack\$3 or shelf or shelves) with	USPAT;	2004/01/04 15:06
j		(enclosure or storage or disk or power or	EPO; JPO;	
		sensor or fan or raid)) with (physical	DERWENT;	
		near3 (id or location or position))	IBM_TDB	
-	2633	((Determin\$3 or sens\$3 or detect or	USPAT;	2004/01/04 17:20
		configure or decide or judg\$3 or	EPO; JPO;	
		discover\$3 or identify\$3) near3 (location	DERWENT;	
		or position or placement or place)) with	IBM_TDB	
_	238	<pre>(rack or shelf or ledge) (((Determin\$3 or sens\$3 or detect or</pre>	USPAT;	2004/01/04 15:24
	250	configure or decide or judg\$3 or	EPO; JPO;	2004/01/04 15:24
İ		discover\$3 or identify\$3) near3 (location	DERWENT;	
		or position or placement or place)) with	IBM TDB	
]		(rack or shelf or ledge)) with (enslosure		
		or disk or storage)		
-	4941	((Determin\$3 or sens\$3 or detect or	USPAT;	2004/01/04 16:28
		configure or decide or judg\$3 or	EPO; JPO;	
	[discover\$3 or identify\$3) near3 (location	DERWENT;	
		or position or placement or place)) with	IBM_TDB	
<u> </u>		(rack or shelf or ledge or tray)		

=	465		USPAT;	2004/01/04 15:25
		configure or decide or judg\$3 or	EPO; JPO;	
		discover\$3 or identify\$3) near3 (location	DERWENT;	
		or position or placement or place)) with	IBM_TDB	
		(rack or shelf or ledge or tray)) with (enslosure or disk or storage)		
l_	204	(((Determin\$3 or sens\$3 or detect or	USPAT;	2004/01/04 17:18
-	204	configure or decide or judg\$3 or	EPO; JPO;	2001,01,01
		discover\$3 or identify\$3) near3 (location	DERWENT;	
		or position or placement or place)) with	IBM TDB	
		(rack or shelf or ledge or tray)) with		
		(bank or cabinet or housing)		
_	0	((((Determin\$3 or sens\$3 or detect or	USPAT;	2004/01/04 16:18
	_	configure or decide or judg\$3 or	EPO; JPO;	
		discover\$3 or identify\$3) near3 (location	DERWENT;	
		or position or placement or place)) with	IBM TDB	
		(rack or shelf or ledge or tray)) with	_	
		(bank or cabinet or housing)) with		
		(serial\$4)		
-	13	(((Determin\$3 or sens\$3 or detect or	USPAT;	2004/01/04 16:15
		configure or decide or judg\$3 or	EPO; JPO;	
		discover\$3 or identify\$3) near3 (location	DERWENT;	
		or position or placement or place)) with	IBM_TDB	
		(rack or shelf or ledge or tray)) with		
1		(serial\$4)		0004/05/04 55 55
-	1	(RAID) and disk and ((j or junction) near3	USPAT;	2004/01/04 16:27
1		(box))	EPO; JPO;	
			DERWENT;	
		,	IBM_TDB	0004/01/04 16 04
-	3	(RAID) and ((j or junction) near3 (box))	USPAT;	2004/01/04 16:24
			EPO; JPO;	
			DERWENT;	
	7	709/325.ccls.	IBM_TDB USPAT;	2004/01/04 16:26
_	,	709/325.0018.	EPO; JPO;	2004/01/04 16:26
			DERWENT;	
			IBM TDB	
_	2121	(RAID or array) with (disk) with	USPAT;	2004/01/04 17:01
	2121	(connect\$4 or junction)	EPO; JPO;	2004/01/04 17:01
		(0011110004,1,01,0110111)	DERWENT;	
			IBM TDB	
_	222	(first near3 ((j or junction) near3	USPAT;	2004/01/04 16:34
		(box))) and (second near3 ((j or junction)	EPO; JPO;	
		near3 (box)))	DERWENT;	
			IBM_TDB	
-	0	(((Determin\$3 or sens\$3 or detect or	USPAT;	2004/01/04 16:28
		configure or decide or judg\$3 or	EPO; JPO;	
		discover\$3 or identify\$3) near3 (location	DERWENT;	
		or position or placement or place)) with	IBM_TDB	
		(rack or shelf or ledge or tray)) and		
		((first near3 ((j or junction) near3		
		(box))) and (second near3 ((j or junction)		
į į	<u>, , </u>	near3 (box))))		0004/01/04 15 5:
-	24	((first near3 ((j or junction) near3	USPAT;	2004/01/04 16:34
		(box))) and (second near3 ((j or junction)	EPO; JPO;	
		near3 (box)))) and (rack or shelf or ledge	DERWENT;	
		or tray)	IBM_TDB	2004/01/04 12:00
-	53	((RAID or array) with (disk) with	USPAT;	2004/01/04 17:00
		(connect\$4 or junction)) with serial\$4	EPO; JPO; DERWENT;	
]			IBM TDB	
_	448	(RAID or array) and ((disk) with serial\$4	USPAT;	2004/01/04 17:13
-	440	(RAID OF affay) and ((disk) with serial \$4 with (connect \$4 or junction))	EPO; JPO;	5003/01/03 11:13
			DERWENT;	
			IBM TDB	
_	49	((RAID or array) and ((disk) with serial\$4	USPĀT;	2004/01/04 17:02
		with (connect\$4 or junction))) and (rack\$3	EPO; JPO;	
		or shelf or shelves)	DERWENT;	
			IBM TDB	

				1
-	3	1 (, , (, , ,)	USPAT;	2004/01/04 17:13
		(environmental near monitoring near	EPO; JPO;	
	ļ	unit)))	DERWENT;	
		1	IBM_TDB	0004/04/04 05
-	217	1 , , , = = = = = = = = = = = = = = = =	USPAT;	2004/01/04 17:18
		configure or decide or judg\$3 or	EPO; JPO;	1
		discover\$3 or identify\$3) near3 (location	DERWENT;	
		or position or placement or place)) with	IBM_TDB	
		(rack or shelf or ledge or tray)) with		
		(bank or cabinet or housing or chassis)		
-	37		USPAT;	2004/01/04 17:20
		(connect\$4 or junction)) with serial\$4)	EPO; JPO;	
		and (location or position or placement or	DERWENT;	
		place)	IBM_TDB	
-	222		USPAT;	2004/06/02 15:53
		or shelves) with (enclosure or storage or	EPO; JPO;	
		disk or power or sensor or fan or raid))	DERWENT;	
			IBM_TDB	
-	278		USPAT;	2004/06/02 14:56
		or shelves) and (computer or network)	EPO; JPO;]
			DERWENT;	
			IBM_TDB	İ
-	397	, ,,	USPAT;	2004/06/07 15:35
		or shelves or cabinet) and (computer or	EPO; JPO;	
		network)	DERWENT;	
			IBM TDB	
-	1872	312/223.1,223.2,223.3,223.4,223.5,223.6.ccl	SUSPAT;	2004/06/02 15:53
			EPO; JPO;	1
			DERWENT;	1
			IBM TDB	
	18	312/223.1,223.2,223.3,223.4,223.5,223.6.ccl	SUSPAT;	2004/06/02 15:53
		and (junction near3 box)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	5004	361/679,680,681,682,683,684,685,686.ccls.	USPĀT;	2004/06/07 15:36
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	18	361/679,680,681,682,683,684,685,686.ccls.	USPĀT;	2004/06/07 16:00
		and (junction near3 box)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	5		USPĀT	2004/06/07 15:59
	!	"5822189" "6213788").PN.		
_	11	361/679,680,681,682,683,684,685,686.ccls.	USPAT;	2004/06/07 16:01
		and (Electrical near3 connection near3	EPO; JPO;	
İ		box)	DERWENT;	
			IBM TDB	